

FEATURES

GV-2

- Electric steam boiler GV-2 with steam iron.
- Small, thermally insulated, electric steam boiler.
- Die-cast aluminium boiler, capacity 1,8 liters, heater 1 kw.
- Manually operated water feeding (drinking water required for its functioning).
- Automatic pressure control by thermostat with fixed setting.
- Mobile trolley as option.

GV-5

- Stainless steel electric steam boiler GV-5, with electric steam iron.
- Boiler capacity 5 lt, heater 1,45 kw.
- Water level indicator with warning light for empty boiler.
- Three safety devices fitted on the boiler: pressure switch, safety valve and safety thermostat.
- Manual water feed.
- Mobile trolley as option.

TFP

- Folding ironing table TFP, with electrically heated board and built in suction unit.
- Without steam iron, without built-in boiler
- Board dimensions: 1.100 x 380 x 240 mm

GV-24

ELECTRIC AND AUTOMATIC STEAM BOILER

- Automatic water feeding or ready to be connected to a condensate tank.
- Power available 12 or 22 kw, one set of heaters.
- Steam production: 16 or 29 kg/h.
- Boiler shell manufactured in accordance to the current PED regulations.
- Steam working pressure: 1 - 7 bar
- Boiler capacity 24,9 lt.
- Voltage 400V III+N / 230V III 50-60 Hz



OPTIONS

- Trolley 5 legs + wheels for GV-2

| GENERAL DETAILS | UNIT. | GV-2 |
|-------------------------------------|-------|------------------|
| Boiler Capacity | l | 1,80 |
| Steam pressure | Bar | - |
| Working temperature | °C | - |
| Working humidity | - | - |
| Boiler Heater | kW | 1,0 |
| Iron Heater | kW | 0,830 |
| Resistance table | W | - |
| Suction motor | W | - |
| CONNECTIONS | | |
| Boiler heaters | kW | - |
| Steam production | Kg/h | - |
| Pump motor power | HP | - |
| CONNECTIONS | | |
| Water feeding inlet | Inch | - |
| Boiler exhaust | Inch | - |
| Steam inlet | Inch | - |
| Condensate return with valve | Inch | - |
| Autonomy | - | 2/3 |
| Operating pressure | BAR | 2,6 |
| DIMENSIONS | | |
| Dimensions* | mm | 230 x 420 x 1080 |
| Height wheel stand mounted (option) | mm | 1880 |
| Net weight | kg | 7,5 |
| Gross weight | kg | 9 |
| Packing dimensions | mm | 480 x 390 x 300 |
| Working dimensions | - | - |
| OTHER | | |
| Voltage | Hz | 230V 50 |
| Sound level | dB | - |

* Dimensions once assembled



